



**SAFETY DATA SHEET**  
**PINK GLOSS POLISH**

**SECTION 1: Identification of the substance/mixture and of the company/undertaking**

|  |   |
|--|---|
| <b><u>1.1. Product identifier</u></b>  |   |
| Product Name   | PINK GLOSS POLISH   |
| Internal ID  | MTS 0011  |
| <b><u>1.2. Relevant identified uses of the substance or mixture and uses advised against</u></b> |   |
| Identified uses  | Polish  |
| Uses advised against   | Use only for intended applications.   |
| <b><u>1.3. Details of the supplier of the safety data sheet</u></b>                              |   |
| Supplier   | Motor Trade Supplies Ltd<br>Unit 5<br>Preston Nurseries<br>Weghill Road<br>Hull<br>HU12 8SX<br>+44 (0) 7778 411 723<br><a href="mailto:sales@mtsproducts.co.uk">sales@mtsproducts.co.uk</a> |
| <b><u>1.4. Emergency telephone number</u></b>  |   |
| Emergency telephone  | +44 (0) 7778 411 723 Opening Hours 9 am - 4 pm<br>(Monday - Friday)   |

**SECTION 2: Hazards identification**

|   |   |
|---|---|
| <b><u>2.1. Classification of the substance or mixture Classification (EC 1272/2008)</u></b> |   |
| Physical hazards  | Not Classified  |
| Health hazards  | STOT SE 3 - H336  |
| Environmental hazards   | Not Classified  |
| <b><u>2.2. Label elements</u></b>   |   |
| Hazard Pictograms   |   |
|   |   |
| Signal word   | Warning   |
| Hazard statements   | H336 May cause drowsiness or dizziness.   |
| Precautionary statements  | P261 Avoid breathing vapour/ spray.<br>P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. |

|   |   |
|---|---|
|   | P405 Store locked up.<br>P501 Dispose of contents/ container in accordance with national regulations.   |
| <b>Contains</b>                               | Hydrocarbons, C9-C11, n-alkanes, cyclics, <2% arom  |
| <b>Supplementary precautionary statements</b> | P271 Use only outdoors or in a well-ventilated area.<br>P312 Call a POISON CENTER/ doctor if you feel unwell.<br>P403+P233 Store in a well-ventilated place. Keep container tightly closed. |
| <b><u>2.3. Other hazards</u></b>              |   |
| N/A   |   |

### **SECTION 3: Composition/information on ingredients**

#### **3.1. Mixtures**

|   |               |
|---|---------------|
| <b>Hydrocarbons, C9-C11, n-alkanes, cyclics, &lt;2% arom</b>  | <b>10-30%</b> |
| CAS number: -    EC number: 919-857-5    REACH registration number: 01- 2119463258-33-XXXX              |               |
| <b>Classification</b><br>Flam. Liq. 3 - H226 Xn;R65. R10,R66.<br>STOT SE 3 - H336<br>Asp. Tox. 1 - H304 |               |

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

### **SECTION 4: First aid measures**

#### **4.1. Description of first aid measures**

|                     |   |
|---------------------|---|
| <b>Inhalation</b>   | Remove from further exposure. For those providing assistance, avoid exposure to yourself or others. Use adequate respiratory protection. If respiratory irritation, dizziness, nausea, or unconsciousness occurs, seek immediate medical assistance. If breathing has stopped, assist ventilation with a mechanical device or use mouth-to-mouth resuscitation. |
| <b>Ingestion</b>    | Do not induce vomiting. Seek immediate medical attention.   |
| <b>Skin contact</b> | Wash contact areas with soap and water. Remove contaminated clothing. Launder contaminated clothing before reuse.   |
| <b>Eye contact</b>  | Flush thoroughly with water. If irritation occurs, get medical assistance.  |

#### **4.2. Most important symptoms and effects, both acute and delayed**

**General information**    No important symptoms or effects.

#### **4.3. Indication of any immediate medical attention and special treatment needed**

|                             |  |
|-----------------------------|--|
| <b>Notes for the doctor</b> | If ingested, material may be aspirated into the lungs and cause chemical pneumonitis. Treat appropriately. |
|-----------------------------|--|

**SECTION 5: Firefighting measures****5.1. Extinguishing media**

|                                     |   |
|-------------------------------------|---|
| <b>Suitable extinguishing media</b> | Extinguish with the following media: water fog, foam, dry chemical or carbon dioxide (CO <sub>2</sub> ) to extinguish flames. |
|-------------------------------------|---|

|                                       |  |
|---------------------------------------|--|
| <b>Unsuitable extinguishing media</b> | Do not use: Straight streams of water. |
|---------------------------------------|--|

**5.2. Special hazards arising from the substance or mixture**

|                                      |   |
|--------------------------------------|---|
| <b>Hazardous combustion products</b> | Smoke, Fume, Incomplete combustion products, Oxides of carbon |
|--------------------------------------|---|

**5.3. Advice for firefighters**

|   |  |
|---|--|
| <b>Protective actions during firefighting</b> | Evacuate area. Prevent run-off from fire control or dilution from entering streams, sewers or drinking water supply. Fire-fighters should use standard protective equipment and in enclosed spaces, self-contained breathing apparatus (SCBA). Use water spray to cool fire exposed surfaces and to protect personnel.<br>Unusual Fire Hazards: Combustible. |
|---|--|

**SECTION 6: Accidental release measures****6.1. Personal precautions, protective equipment and emergency procedures**

|                             |   |
|-----------------------------|---|
| <b>Personal precautions</b> | NOTIFICATION PROCEDURES<br>In the event of a spill or accidental release, notify relevant authorities in accordance with all applicable regulations.<br>PROTECTIVE MEASURES<br>Avoid contact with spilled material. |
|-----------------------------|---|

**6.2. Environmental precautions**

|                                  |  |
|----------------------------------|--|
| <b>Environmental precautions</b> | Large Spills: Dyke far ahead of liquid spill for later recovery and disposal. Prevent entry into waterways, sewers, basements or confined areas. |
|----------------------------------|--|

**6.3. Methods and material for containment and cleaning up**

|                                |  |
|--------------------------------|--|
| <b>Methods for cleaning up</b> | Stop leak if you can do so without risk. Absorb or cover with dry earth, sand or other non-combustible material and transfer to containers. Recover by pumping or with suitable absorbent. |
|--------------------------------|--|

**6.4. Reference to other sections**

|                                    |                 |
|------------------------------------|-----------------|
| <b>Reference to other sections</b> | See section 6.1 |
|------------------------------------|-----------------|

**SECTION 7: Handling and storage****7.1. Precautions for safe handling**

|                          |   |
|--------------------------|---|
| <b>Usage precautions</b> | Avoid contact with skin. Prevent small spills and leakage to avoid slip hazard. Material can accumulate static charges which may cause an electrical spark (ignition source). |
|--------------------------|---|



**7.2. Conditions for safe storage, including any incompatibilities**

|                            |  |
|----------------------------|--|
| <b>Storage precautions</b> | Keep in cool, dry, ventilated storage and closed containers. Handle containers with care. Open slowly in order to control possible pressure release. |
|----------------------------|--|

|                                 |   |
|---------------------------------|---|
| <b>7.3. Specific end use(s)</b> |   |
| Specific end use(s)             | The identified uses for this product are detailed in Section 1.2. |

**SECTION 8: Exposure controls/Personal protection**

|  |  |
|--|--|
| <b>8.1. Control parameters Occupational exposure limits</b>  |  |
| <b>Ingredient comments</b>                                   | WEL = Workplace Exposure Limits  |
| <b>Hydrocarbons, C9-C11, n-alkanes, cyclics, &lt;2% arom</b> |  |
| <b>DNEL</b>  | Consumer - Oral; Long term systemic effects: 300 mg/kg/day<br>Consumer - Dermal; Long term systemic effects: 300 mg/kg/day<br>Workers - Dermal; Long term systemic effects: 300 mg/kg/day<br>Workers - Inhalation; Short term systemic effects: 1500 mg/m <sup>3</sup><br>Consumer - Inhalation; Long term systemic effects: 900 mg/m <sup>3</sup> |

|  |  |
|--|--|
| <b>8.2. Exposure controls</b>  |  |
| <b>Protective equipment</b><br>  |  |
| <b>Appropriate engineering controls</b>  | The level of protection and types of controls necessary will vary depending upon potential exposure conditions.<br>Control measures to consider:<br>Adequate ventilation should be provided so that exposure limits are not exceeded. Use explosion-proof ventilation equipment.   |
| <b>Eye/face protection</b>   | If contact is likely, safety glasses with side shields are recommended.  |
| <b>Hand protection</b>   | Any specific glove information provided is based on published literature and glove manufacturer data. Glove suitability and breakthrough time will differ depending on the specific use conditions. Contact the glove manufacturer for specific advice on glove selection and breakthrough times for your use conditions. Inspect and replace worn or damaged gloves. The types of gloves to be considered for this material include: Chemical resistant gloves are recommended. Nitrile, CEN standards EN 420 and EN 374 provide general requirements and lists of glove types. |
| <b>Other skin and body protection</b>  | Any specific clothing information provided is based on published literature or manufacturer data. The types of clothing to be considered for this material include: Chemical/oil resistant clothing is recommended.  |
| <b>Hygiene measures</b>  | Based on and limited to our experience of this product, the following special advice is believed to provide satisfactory protection for the industrial user or handler. The choice of suitable protective equipment depends on work conditions and what methods are used for handling the substance. This advice is not a substitute for each Company conducting their own Risk/COSHH Assessments, but is provided as general guidance. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking                   |

|                               |  |
|-------------------------------|--|
|                               | and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Discard contaminated clothing and footwear that cannot be cleaned. Practice good housekeeping.   |
| <b>Respiratory protection</b> | If engineering controls do not maintain airborne contaminant concentrations at a level which is adequate to protect worker health, an approved respirator may be appropriate. Respirator selection, use, and maintenance must be in accordance with regulatory requirements, if applicable. Types of respirators to be considered for this material include: Half-face filter respirator Type A filter material, European Committee for Standardization (CEN) standards EN 136, 140 and 405 provide respirator masks and EN 149 and 143 provide filter recommendations.<br>For high airborne concentrations, use an approved supplied-air respirator, operated in positive pressure mode. Supplied air respirators with an escape bottle may be appropriate when oxygen levels are inadequate, gas/vapour warning properties are poor, or if air purifying filter capacity/rating may be exceeded. |

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

|                               |                                    |
|-------------------------------|------------------------------------|
| <b>Appearance</b>             | Opaque liquid.                     |
| <b>Colour</b>                 | Pink                               |
| <b>Odour</b>                  | Perfume Scent.                     |
| <b>Relative density</b>       | ~ 0.95                             |
| <b>Solubility(ies)</b>        | Immiscible with water.             |
| <b>9.1. Other information</b> |                                    |
| <b>Other information</b>      | No relevant information available. |

## SECTION 10: Stability and reactivity

|   |  |
|---|--|
| <b>10.1. Reactivity</b>                         |  |
| <b>Reactivity</b>                               | See sub-sections below.                              |
| <b>10.2. Chemical stability</b>                 |  |
| <b>Stability</b>                                | Material is stable under normal conditions.          |
| <b>10.3. Possibility of hazardous reactions</b> |  |
| <b>Stability</b>                                | Not expected.  |
| <b>10.4. Conditions to avoid</b>                |  |
| <b>Conditions to avoid</b>                      | Avoid open flames and high energy ignition sources.  |
| <b>10.5. Incompatible materials</b>             |  |
| <b>Materials to avoid</b>                       | Strong oxidisers.                                    |
| <b>10.6. Hazardous decomposition products</b>   |  |
| <b>Hazardous decomposition products</b>         | Material does not decompose at ambient temperatures. |

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects Acute toxicity - oral

|                            |   |
|----------------------------|---|
| <b>General information</b> | Vapour concentrations above recommended exposure levels are irritating to the eyes and the respiratory tract, may cause headaches and dizziness, are anaesthetic and may have other central nervous system effects. Prolonged and/or repeated skin contact with low viscosity materials may defat the skin resulting in possible irritation and dermatitis. Small amounts of liquid aspirated into the lungs during ingestion or from vomiting may cause chemical pneumonitis or pulmonary edema. |
|----------------------------|---|

|  |         |
|--|---------|
| <b>Hydrocarbons, C9-C11, n-alkanes, cyclics, &lt;2% arom</b> |         |
| <b>Acute toxicity - Oral</b>                                 |         |
| Acute toxicity oral (LD <sub>50</sub> mg/kg)                 | 5,000.0 |
| Species  | Rat     |
| ATE oral (mg/kg)   | 5,000.0 |
| <b>Acute toxicity - Dermal</b>                               |         |
| Acute toxicity dermal (LD <sub>50</sub> mg/kg)               | 5,000.0 |
| Species  | Rat     |
| ATE oral (mg/kg)   | 5,000.0 |

## SECTION 12: Ecological information

|  |  |
|--|--|
| <b>12.1. Toxicity</b>  |  |
| <b>Toxicity</b>  |  |
| <b>Hydrocarbons, C9-C11, n-alkanes, cyclics, &lt;2% arom</b> |  |
| Toxicity   | LC/EC/IC 50:<br>>1000 mg/l (fish)<br>>1000 mg/l (algae)<br>>1 <10 mg/l (Bacteria)<br>>1 <10 mg/l (Activated Sludge)  |
| Acute aquatic toxicity LE(C)50                               | 0.1 < L(E)C50 ≤ 1  |
| <b>12.2. Persistence and degradability</b>                   |  |
| Readily biodegradable.                                       |  |
| <b>12.3. Bioaccumulative potential</b>                       |  |
| Bioaccumulative potential                                    | Likely to bio-accumulate, but with short retention of the order of a week or less.<br>May be accumulated in organism |
| <b>12.4. Mobility in soil</b>                                |  |
| Mobility   | No supplementary information available.  |
| <b>12.5. Results of PBT and vPvB assessment</b>              |  |
| Results of PBT and vPvB assessment                           | No additional information available.   |
| <b>12.6. Other adverse effects</b>                           |  |
| Other adverse effects  | No supplementary information available.  |

## SECTION 13: Disposal considerations

|                                      |  |
|--------------------------------------|--|
| <b>13.1. Waste treatment methods</b> |  |
| General information                  | Disposal recommendations based on material as supplied. Disposal must be in accordance with current applicable laws and regulations, and material characteristics at the time of disposal.   |
| Disposal methods                     | Product is suitable for burning in an enclosed controlled burner for fuel value or disposal by supervised incineration at very high temperatures to prevent formation of undesirable combustion products. REGULATORY DISPOSAL INFORMATION<br>European Waste Code: 08 XX XX<br><br>NOTE: These codes are assigned based upon the most common uses for this material and may not reflect contaminants resulting from actual use. Waste producers need to assess the actual process used when generating the waste and its contaminants in order to assign the proper waste disposal code(s).<br><br>Empty Container Warning:<br>Empty Container Warning (where applicable): Empty containers may contain residue and can be dangerous. Do not attempt to refill or clean containers without proper instructions. Empty drums should be completely drained and safety stored until appropriately reconditioned or disposed. Empty containers should be taken for recycling, recovery or disposal through suitably qualified or licensed |

|  |   |
|--|---|
|  | contractor and in accordance with governmental regulations. DO NOT PRESSURISE, CUT, WELD, BRAZE, SOLDER, DRILL, GRIND OR EXPOSE SUCH CONTAINERS TO HEAT, FLAME, SPARKS, STATIC ELECTRICITY, OR OTHER SOURCES OF IGNITION. THEY MAY EXPLODE AND CAUSE INJURY OR DEATH. |
|--|---|

**SECTION 14: Transport information**

|  |  |
|--|--|
| <b>General</b>   | The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADR/RID). |
| <b>Special Provisions note</b>   |  |
| <b>14.1. UN number</b>   |  |
| <b>UN No.</b>  | N/A  |
| <b>14.2. UN proper shipping name</b>   |  |
| <b>Proper shipping name</b>  | N/A  |
| <b>14.3. Transport hazard class(es)</b>  |  |
| <b>Transport class</b>   | N/A  |
| <b>Transport labels</b><br>N/A   |  |
| <b>14.4. Packing group</b>   |  |
| <b>packing group</b>   | N/A  |
| <b>14.5. Environmental hazards</b><br>Environmentally hazardous substance/marine pollutant: No |  |
| <b>14.6. Special precautions for user</b>  |  |
| <b>Special precautions for user</b>  | N/A  |
| <b>14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code</b>                |  |
| <b>Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code</b>                | N/A  |

**SECTION 15: Regulatory information**

|   |   |
|---|---|
| <b>15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture</b> |   |
| <b>EU legislation</b>   | Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended). Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended). |
| <b>15.2. Chemical safety assessment</b>   |   |
| No chemical safety assessment has been carried out.   |   |

**SECTION 16: Other information**

|                                  |  |
|----------------------------------|--|
| <b>Risk phrases in full</b>      | R65 Harmful: may cause lung damage if swallowed.   |
| <b>Hazard statements in full</b> | H226 Flammable liquid and vapour.<br>H304 May be fatal if swallowed and enters airways.<br>H336 May cause drowsiness or dizziness. |
| <b>Revision comments</b>         | N/A  |
| <b>Revision date</b>             | 01/10/20   |
| <b>Revision</b>                  | 1.0  |
| <b>Supersedes date</b>           | N/A  |

The information provided in this document is based on our present state of knowledge of the product and is given in good faith and to the best of our experience. However, it should not be construed as a technical specification or as guaranteeing specific properties, accuracy, reliability or completeness. In no event we will be responsible for damages or effects of any nature whatsoever, either express or implied, resulting from the use of this information. It is the own responsibility of the consignee and the user of the product to comply with all prevailing and applicable laws, regulations and directives. They should also make their own determination as to the suitability of the product for a particular use or application by carrying out a full risk assessment of their specific processes and systems of work. All information contained within this document is for the product in its undiluted state and relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated.