



SAFETY DATA SHEET
MULTI-SHEEN

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Name	MULTI-SHEEN
Internal ID	MTS 0010

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses	Cleaning agent
Uses advised against	Use only for intended applications.

1.3. Details of the supplier of the safety data sheet

Supplier	Motor Trade Supplies Ltd Unit 5 Preston Nurseries Weghill Road Hull HU12 8SX +44 (0) 7778 411 723 sales@mtsproducts.co.uk
----------	---

1.4. Emergency telephone number

Emergency telephone	+44 (0) 7778 411 723 Opening Hours 9 am - 4 pm (Monday - Friday)
---------------------	---

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture Classification (EC 1272/2008)

Hazards	Product is highly flammable. Prolonged inhalation of fumes may cause headache and drowsiness. Degreasing action may cause irritation to the skin. Contact with eyes will cause irritation and redness. Ingestion may cause vomiting with risk of lung damage by aspiration.
---------	---

2.2. Label elements

Hazard Pictograms



Signal word	Danger
-------------	--------

General	<p>R11 HIGHLY FLAMMABLE</p> <p>R65 HARMFUL. May cause lung damage if swallowed.</p> <p>S2 Keep out of reach of children.</p> <p>S16 Keep away from sources of ignition - No Smoking.</p> <p>S24/25 Avoid contact with skin and eyes.</p> <p>S29 Do not empty into drains.</p> <p>S51 Use only in well ventilated areas.</p> <p>S62 If swallowed do not induce vomiting. Seek medical advice and show this container or label.</p>
2.3. Other hazards	
This product does not contain any substances classified as PBT or vPvB.	

SECTION 3: Composition/information on ingredients

3.1. Mixtures

Petroleum Distillate	80-90%
CAS number: 64741-84-0	
Classification R11, R65	
Propan-2-ol	<10%
CAS number: 67-63-0	
Classification R11	
Total aromatic content: < 1.0% maximum.	
Risk phrases in this section apply to raw materials, not necessarily to the finished product. (See Section 15)	

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation	Move casualty to fresh air. Loosen tight clothing and ensure he is breathing freely. If symptoms persist seek medical advice.
Ingestion	Rinse mouth and lips with clean water. Give milk or water to drink. Obtain urgent medical advice. Do not attempt to induce vomiting.
Skin contact	Wash immediately with soap and water. Remove contaminated clothing.
Eye contact	Rinse immediately with plenty of clean water. Continue rinsing for 15 minutes. Obtain medical advice

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media	Dry chemical powder, carbon dioxide, chemical foam or water spray. Keep containers cool with water spray. May form explosive mixture in air.
5.2. Special hazards arising from the substance or mixture	

Hazardous combustion products	Dry chemical powder, carbon dioxide, chemical foam or water spray. Keep containers cool with water spray. May form explosive mixture in air.
5.3. Advice for firefighters	
Protective actions during firefighting	Dry chemical powder, carbon dioxide, chemical foam or water spray. Keep containers cool with water spray. May form explosive mixture in air.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions	Extinguish all naked flames and sources of ignition. No smoking. Absorb onto sand or earth, then hold in closed container pending disposal. Inform Fire Service and local Water Authority in event of major spillage entering drains.
-----------------------------	---

6.2. Environmental precautions

Environmental precautions	Extinguish all naked flames and sources of ignition. No smoking. Absorb onto sand or earth, then hold in closed container pending disposal. Inform Fire Service and local Water Authority in event of major spillage entering drains.
----------------------------------	---

6.3. Methods and material for containment and cleaning up

Methods for cleaning up	Extinguish all naked flames and sources of ignition. No smoking. Absorb onto sand or earth, then hold in closed container pending disposal. Inform Fire Service and local Water Authority in event of major spillage entering drains.
--------------------------------	---

6.4. Reference to other sections

Reference to other sections	Wear protective clothing as described in Section 8 of this safety data sheet.
------------------------------------	---

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Usage precautions	Keep out of reach of children. Store well away from foodstuffs. Store in a cool, well ventilated area, well away from sources of ignition. Vapours are heavier than air and may drift to distant ignition source. Use only in well ventilated area, well away from any source of ignition. Product is highly flammable. Do not use near open sources of ignition.
--------------------------	---

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions	Store at temperatures between 4°C and 40°C.
----------------------------	---

7.3. Specific end use(s)

Specific end use(s)	The identified uses for this product are detailed in Section 1.2.
----------------------------	---


SECTION 8: Exposure controls/Personal protection

8.1. Control parameters Occupational exposure limits

Petroleum Distillate	300 ppm (8 hour TWA)
-----------------------------	----------------------

Propan-2-ol	400ppm (8 hour TWA)
--------------------	---------------------

Ensure adequate ventilation. Avoid contact with skin and eyes.

8.2. Exposure controls	
Protective equipment	
	
General	Wear appropriate PPE

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties	
Appearance	Clear liquid.
Colour	Violet
Odour	Solvent / perfume blend.
pH	0.75 (approx.)
Boiling Point:	65 deg C
Flash Point:	< 0 deg C
Solubility(ies)	Soluble in water.
Volatile Organic Compounds:	Not miscible
9.1. Other information	
Other information	Not determined.

SECTION 10: Stability and reactivity

10.1. Reactivity	
Reactivity	Stable under normal conditions of temperature and pressure. Burning can produce carbon dioxide and/or carbon monoxide. May react with oxidising materials.
10.2. Chemical stability	
Stability	Stable under normal conditions of temperature and pressure. Burning can produce carbon dioxide and/or carbon monoxide. May react with oxidising materials.
10.3. Possibility of hazardous reactions	
Stability	Stable under normal conditions of temperature and pressure. Burning can produce carbon dioxide and/or carbon monoxide. May react with oxidising materials.
10.4. Conditions to avoid	
Conditions to avoid	Stable under normal conditions of temperature and pressure. Burning can produce carbon dioxide and/or carbon monoxide. May react with oxidising materials.
10.5. Incompatible materials	
Materials to avoid	Stable under normal conditions of temperature and pressure. Burning can produce carbon dioxide and/or carbon monoxide. May react with oxidising materials.
10.6. Hazardous decomposition products	
Hazardous decomposition products	Stable under normal conditions of temperature and pressure. Burning can produce carbon dioxide and/or carbon monoxide. May react with oxidising materials.

SECTION 11: Toxicological information

11.1. Information on toxicological effects Acute toxicity - oral	
Prolonged or repeated skin contact may lead to significant irritation. If ingested, may cause burning of mouth, throat and alimentary tract. May cause vomiting with risk of aspiration.	

SECTION 12: Ecological information**12.1. Toxicity**

Do not release into surface waters.
 May cause long term adverse effects in the aquatic environment.
 Do not empty into drains.

12.2. Persistence and degradability

Do not release into surface waters.
 May cause long term adverse effects in the aquatic environment.
 Do not empty into drains.

12.3. Bioaccumulative potential

Bioaccumulative potential	Do not release into surface waters. May cause long term adverse effects in the aquatic environment. Do not empty into drains.
----------------------------------	---

12.4. Mobility in soil

Mobility	Do not release into surface waters. May cause long term adverse effects in the aquatic environment. Do not empty into drains.
-----------------	---

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB assessment	This product does not contain any substances classified as PBT or vPvB.
---	---

12.6. Other adverse effects

Other adverse effects	Not determined.
------------------------------	-----------------

SECTION 13: Disposal considerations**13.1. Waste treatment methods**

Disposal methods	Dispose of waste product as Hazardous Waste, via an authorised contractor.
-------------------------	--

SECTION 14: Transport information**Special Provisions note****14.1. UN number**

UN No.	1993
---------------	------

14.2. UN proper shipping name

Proper shipping name	FLAMMABLE LIQUID N.O.S. (Petroleum Distillate, Propan-2-ol)
-----------------------------	---

14.3. Transport hazard class(es)

ADR/RID class	3
IMO class	3
ICAO class/division	3

Transport labels**14.4. Packing group**

ADR/RID packing group	II
IMDG packing group	II
ICAO packing group	II

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	Not applicable.
---	-----------------

SECTION 15: Regulatory information**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

General information	R11 HIGHLY FLAMMABLE R65 HARMFUL. May cause lung damage if swallowed.
----------------------------	--

	<p>S2 Keep out of reach of children.</p> <p>S16 Keep away from sources of ignition - No Smoking.</p> <p>S24/25 Avoid contact with skin and eyes.</p> <p>S29 Do not empty into drains.</p> <p>S51 Use only in well ventilated areas.</p> <p>S62 If swallowed do not induce vomiting. Seek medical advice and show this container or label.</p>
15.2. Chemical safety assessment	
No chemical safety assessment has been carried out.	

SECTION 16: Other information

Revision comments	N/A
Revision date	01/10/20
Revision	1.0
Supersedes date	N/A

The information provided in this document is based on our present state of knowledge of the product and is given in good faith and to the best of our experience. However, it should not be construed as a technical specification or as guaranteeing specific properties, accuracy, reliability or completeness. In no event we will be responsible for damages or effects of any nature whatsoever, either express or implied, resulting from the use of this information. It is the own responsibility of the consignee and the user of the product to comply with all prevailing and applicable laws, regulations and directives. They should also make their own determination as to the suitability of the product for a particular use or application by carrying out a full risk assessment of their specific processes and systems of work. All information contained within this document is for the product in its undiluted state and relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated.