



**SAFETY DATA SHEET**  
**TAR & ADHESIVE REMOVER**

**SECTION 1: Identification of the substance/mixture and of the company/undertaking**

<b><u>1.1. Product identifier</u></b>	
Product Name	TAR & ADHESIVE REMOVER
Internal ID	MTS 0017
<b><u>1.2. Relevant identified uses of the substance or mixture and uses advised against</u></b>	
Identified uses	Automotive care, Surface treatment
Uses advised against	Use only for intended applications.
<b><u>1.3. Details of the supplier of the safety data sheet</u></b>	
Supplier	Motor Trade Supplies Ltd Unit 5 Preston Nurseries Weghill Road Hull HU12 8SX +44 (0) 7778 411 723 <a href="mailto:sales@mtsproducts.co.uk">sales@mtsproducts.co.uk</a>
<b><u>1.4. Emergency telephone number</u></b>	
Emergency telephone	+44 (0) 7778 411 723 Opening Hours 9 am - 4 pm (Monday - Friday)

**SECTION 2: Hazards identification**

<b><u>2.1. Classification of the substance or mixture Classification (EC 1272/2008)</u></b>	
Hazards	CLP: Asp. Tox. 1 Flam. Liq. 3 Skin Irrit. 2 Eye Irrit. 2 STOT RE 1 Aquatic Chronic 2
<b><u>2.2. Label elements</u></b>	
Hazard Pictograms	
Signal word	Danger
Hazard statements	H226 - Flammable liquid and vapour.

	<p>H372 - Causes damage to organs through prolonged or repeated exposure.</p> <p>H315 - Causes skin irritation.</p> <p>H319 - Causes serious eye irritation.</p> <p>H304 - May be fatal if swallowed and enters airways.</p> <p>H411 - Toxic to aquatic life with long lasting effects.</p> <p>EUH066 - Repeated exposure may cause skin dryness or cracking.</p>
<b>Precautionary statements</b>	<p>P210 - Keep away from heat/sparks/open flames/hot surfaces. – No smoking.</p> <p>P280 - Wear protective gloves/protective clothing/eye protection/face protection.</p> <p>P303+P361+P353 - IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.</p> <p>P304+P340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.</p> <p>P301+P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.</p> <p>P331 - Do NOT induce vomiting.</p>
<b>Supplementary label information</b>	<p>EUH066 Repeated exposure may cause skin dryness or cracking.</p>
<b><u>2.3. Other hazards</u></b>	

**SECTION 3: Composition/information on ingredients**

**3.1. Mixtures**

<b>Xylene</b>	<b>29.83%</b>
CAS number: 1330-20-7 EC number: 215-535-7	
<b>Classification</b> Skin Irrit. 2 Eye Irrit. 2 STOT SE 3 STOT RE 2	
<b>Hydrocarbons, C9-12, n-alkanes, isoalkanes, Cyclics, Aromatics (2-25%)</b>	<b>60%</b>
CAS number: 64742-88-7 EC number: - 919-446-0	
<b>Classification</b> STOT SE 3 STOT RE 1 Aquatic Chronic 2	
<b>2-butoxyethanol; ethylene glycol monobutyl ether; butyl cellosolve</b>	<b>8.64%</b>
CAS number: 111-76-2 EC number: -203-905-0	
<b>Classification</b> Skin Irrit. 2 Eye Irrit. 2	

<b>Oleylamine Ethoxylate</b>	<b>0.66%</b>
CAS number: 26635-93-8 EC number: - 500-048-7	
<b>Classification</b> Skin Irrit. 2 Eye Dam. 1 Aquatic Acute 1	
<b>Coco Alkylamine Ethoxylate</b>	<b>0.75%</b>
CAS number: 61791-14-8 EC number: - 500-152-2	
<b>Classification</b> Eye Irrit. 2	

#### SECTION 4: First aid measures

##### 4.1. Description of first aid measures

<b>Description of first aid measures</b>	<p>P302+P352 - IF ON SKIN: Wash with plenty of soap and water.</p> <p>P303+P361+P353 - IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.</p> <p>P332+P313 - If skin irritation occurs: Get medical advice/attention.</p> <p>P362 - Take off contaminated clothing and wash before reuse.</p> <p>P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.</p> <p>P301+P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.</p> <p>P331 - Do NOT induce vomiting.</p>
--	---

##### 4.2. Most important symptoms and effects, both acute and delayed

<b>Most important symptoms and effects, both acute and delayed</b>	<p>Mildly irritating to respiratory system In cases of severe exposure, dizziness, confusion, headache or stupor may develop Mildly irritating to skin and eyes Can cause damage to the eyes, skin and mucous membranes</p>
--	---

##### 4.3. Indication of any immediate medical attention and special treatment needed

<b>Notes for the doctor</b>	<p>P301+P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.</p> <p>P101 - If medical advice is needed, have product container or label at hand. - If substance has got into eyes, immediately wash out with plenty of water Seek medical attention if irritation persists</p> <p>P331 - Do NOT induce vomiting.</p> <p>P310 - Immediately call a POISON CENTER or doctor/physician.</p>
-----------------------------	--

#### SECTION 5: Firefighting measures

##### 5.1. Extinguishing media

<b>Suitable extinguishing media</b>	<p>P370+P378 - In case of fire: use foam, carbon dioxide or dry agent for extinction</p> <p>P370+P378 - In case of fire: Use</p>
-------------------------------------	--

##### 5.2. Special hazards arising from the substance or mixture

<b>Hazardous combustion products</b>	Vapours may travel considerable distances to a source of ignition and flashback
--------------------------------------	---

	May give off noxious and toxic fumes in a fire Smoke from fires is irritating. Take precautions to protect personnel from exposure
<b>5.3. Advice for firefighters</b>	
<b>Protective actions during firefighting</b>	Keep container(s) exposed to fire cool, by spraying with water Wear Breathing Apparatus

## SECTION 6: Accidental release measures

### **6.1. Personal precautions, protective equipment and emergency procedures**

<b>Personal precautions</b>	Spillage causes slippery surface Shut off source of leak if safe to do so Ensure adequate ventilation
-----------------------------	---

### **6.2. Environmental precautions**

<b>Environmental precautions</b>	Do not allow to enter public sewers and watercourses If contamination of drainage systems or water courses is unavoidable, immediately inform appropriate authorities P273 - Avoid release to the environment
----------------------------------	---

### **6.3. Methods and material for containment and cleaning up**

<b>Methods for cleaning up</b>	Absorb spillage in inert material and shovel up Place in appropriate container Remove contaminated material to safe location for subsequent disposal S40 - To clean the floor and all objects contaminated by this material use soap and water P391 - Collect spillage
--------------------------------	--

### **6.4. Reference to other sections**

<b>Reference to other sections</b>	See Section 3,8 &13 for further information
------------------------------------	---

## SECTION 7: Handling and storage

### **7.1. Precautions for safe handling**

<b>Usage precautions</b>	Ensure adequate ventilation Proper chemicals handling procedures should be adopted P210 - Keep away from heat/sparks/open flames/hot surfaces. – No smoking. P240 - Ground/bond container and receiving equipment. P241 - Use explosion-proof electrical/ventilating/lighting/ P242 - Use only non-sparking tools. P243 - Take precautionary measures against static discharge. P260 - Do not breathe dust/fume/gas/mist/vapours/spray. P264 - Wash P270 - Do not eat, drink or smoke when using this product. P273 - Avoid release to the environment. P280 - Wear protective gloves/protective clothing/eye protection/face protection. P314 - Get medical advice/attention if you feel unwell. P501 - Dispose of contents/container to
--------------------------	--

<b>7.2. Conditions for safe storage, including any incompatibilities</b>	
<b>Storage precautions</b>	Keep in a cool, dry, well ventilated place P404 - Store in a closed container. Keep away from frost P233 - Keep container tightly closed. P240 - Ground/bond container and receiving equipment. P241 - Use explosion-proof electrical/ventilating/lighting/ P403+P235 - Store in a well-ventilated place. Keep cool. P405 - Store locked up.
<b>7.3. Specific end use(s)</b>	
<b>Specific end use(s)</b>	No hazardous reactions known if used for its intended purpose

## SECTION 8: Exposure controls/Personal protection

<b>8.1. Control parameters Occupational exposure limits</b>	
<b>Control parameters</b>	xylene WEL (long term) 220 mg/m <sup>3</sup> WEL (short term) 441 mg/m <sup>3</sup> Hydrocarbons, C9-12, n-alkanes, isoalkanes, Cyclics, Aromatics (2-25%) WEL (long term) 330 mg/m <sup>3</sup>

<b>8.2. Exposure controls</b>	
<b>Protective equipment</b>	 <p>P280 - Wear protective gloves/protective clothing/eye protection/face protection.</p>

## SECTION 9: Physical and chemical properties

<b>9.1. Information on basic physical and chemical properties</b>	
<b>Appearance</b>	Clear liquid
<b>Colour</b>	colourless to yellow,
<b>Odour</b>	Hydrocarbon odour
<b>Specific gravity</b>	0.820
<b>Flashpoint</b>	34°C
<b>Solubility(ies)</b>	Insoluble in water
<b>9.2. Other information</b>	
<b>Other information</b>	Volatile Organic Compound Content 100%

## SECTION 10: Stability and reactivity

<b>10.1. Reactivity</b>	
<b>Reactivity</b>	This article is considered stable under normal conditions
<b>10.2. Chemical stability</b>	
<b>Stability</b>	This article is considered stable under normal conditions
<b>10.3. Possibility of hazardous reactions</b>	
<b>Stability</b>	No hazardous reactions known if used for its intended purpose
<b>10.4. Conditions to avoid</b>	
<b>Conditions to avoid</b>	Keep away from frost

<b>10.5. Incompatible materials</b>	
<b>Materials to avoid</b>	No hazardous reactions known if used for its intended purpose

<b>10.6. Hazardous decomposition products</b>	
<b>Hazardous decomposition products</b>	No hazardous decomposition products known

### SECTION 11: Toxicological information

<b>11.1. Information on toxicological effects</b>	
<b>Information on toxicological effects</b>	Aspiration hazard Inhalation of solvent vapours may give rise to nausea, headaches and dizziness


### SECTION 12: Ecological information

<b>12.1. Toxicity</b>	
<b>Toxicity</b>	May cause acute effects in the aquatic environment
<b>12.2. Persistence and degradability</b>	
Biodegradable	
<b>12.3. Bioaccumulative potential</b>	
<b>Bioaccumulative potential</b>	No information available
<b>12.4. Mobility in soil</b>	
<b>Mobility</b>	Insoluble in water
<b>12.5. Results of PBT and vPvB assessment</b>	
<b>Results of PBT and vPvB assessment</b>	Not a PBT according to REACH Annex XIII
<b>12.6. Other adverse effects</b>	
<b>Other adverse effects</b>	Toxic to sewage works organisms

### SECTION 13: Disposal considerations

<b>13.1. Waste treatment methods</b>	
<b>Disposal methods</b>	S29 - Do not empty into drains Do not pierce or burn container, even after use Do not reuse empty containers without commercial cleaning or reconditioning P501 - Dispose of contents/container to

### SECTION 14: Transport information

<b>Special Provisions note</b>	
<b>14.1. UN number</b>	
<b>UN No.</b>	1139
<b>14.2. UN proper shipping name</b>	
<b>Proper shipping name</b>	COATING SOLUTION
<b>14.3. Transport hazard class(es)</b>	
<b>Hazard class</b>	3
<b>Transport labels</b>	
	
<b>14.4. Packing group</b>	
<b>Packing group</b>	III
<b>14.5. Environmental hazards</b>	
Marine Pollutant - ENVIRONMENTALLY HAZARDOUS	
<b>14.6. Special precautions for user</b>	
<b>Special precautions for user</b>	Transport Regulations apply as indicated in previous section
<b>14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code</b>	
<b>Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code</b>	Not applicable.

**SECTION 15: Regulatory information****15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****General information**

This Safety Data Sheet is provided in compliance with The Chemicals (Hazard Information and Packaging) Regulations.  
The CPL Regulations apply in the UK.

**15.2. Chemical safety assessment**

No chemical safety assessment has been carried out.

**SECTION 16: Other information**

<b>Revision comments</b>	N/A
<b>Revision date</b>	01/10/20
<b>Revision</b>	1.0
<b>Supersedes date</b>	N/A

The information provided in this document is based on our present state of knowledge of the product and is given in good faith and to the best of our experience. However, it should not be construed as a technical specification or as guaranteeing specific properties, accuracy, reliability or completeness. In no event we will be responsible for damages or effects of any nature whatsoever, either express or implied, resulting from the use of this information. It is the own responsibility of the consignee and the user of the product to comply with all prevailing and applicable laws, regulations and directives. They should also make their own determination as to the suitability of the product for a particular use or application by carrying out a full risk assessment of their specific processes and systems of work. All information contained within this document is for the product in its undiluted state and relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated.